CLASSIFICATION RESTRICTED SECURITY INFORMATI CENTRAL INTELLIGENCE AGE

REPORT INFORMATION FROM CD NO.

FOREIGN DOCUMENTS OR RADIO BROADCASTS

DATE OF INFORMATION Economic - Peat

HOW

**PUBLISHED** Monthly periodical

USSR

WHERE

**PUBLISHED** Moscow

DATE

COUNTRY

**SUBJECT** 

PUBLISHED

Jul 1951

LANGUAGE Russian

REPORT NO.

THIS IS UNEVALUATED INFORMATION

1951

DATE DIST. /5 Mar 1952

NO. OF PAGES

SUPPLEMENT TO

SOURCE

Γ

Torfyanaya Promyshlennost', No 7, 1951.

## SOVIET MACHINE BREAKS FROZEN PEAT FIELDS

During the 1951 season, the Orekhovo Peat Enterprise received three MVM-2 machines manufactured by the Demikhovskiy Machine-Building Plant and intended for use in breaking up the frozen surface of peat fields. Because of their late arrival from the plant, operations could be started only on 28 March with the second and third groups of new standard hydropeat cranes and on 1 April with the first group. One MVM-2 machine was used with each group.

During the period of operations, an area of 7.12 hectares was worked. The characteristics of the deposit and the thickness of the frozen layer as of 15 March are given below.

Group of Cranes	Type of	Depth of	Stump Con-	Thickness of Frozen Layer (cm)		
	<u>Deposit</u>	Deposit (m)	tent (%)	Min	Max	Av
First	Hill Peat	4.93	1.85	25	60	37.5
Second	Intermediate Peat	2.98	2.56	15	51	32.4
Third	Hill Peat	5.92	1.84	15	60	34.4

The following production indexes were obtained during the period of opera-

	Operations			Shi	Shift Productivity		
Machine No 38 36 39	Began 31 Mar 29 Mar 28 Mar	Ended Sh 11 Apr 23 Apr 8 Apr	of Working ifts 22 37 17	557 730 620	Hectares 0.084 0.11 0.093	0.54 0.55 0.54	
		Total	76	Av 650	0.007h	0.581	

RESTRICTED

	CLASSIFICATION	RESTRICTED	- THO LED
STATE NAVY	MSRB FB1	DISTRIBUTION	
			<del></del>

STAT



Γ

RESTRICTED

RESTRICTED

As indicated in the above table, the average shift productivity was 650 linear meters instead of the Glavtorf norm of 1.213 linear meters. The Glavtorf norm must be revised to take into consideration the thickness of the frozen layer, the time of the year, and the depth of the snow cover and of the thawed layer. Actually only two shifts succeeded in fulfilling the norm.

The consumption of fuels and lubricants is given below in kilograms.

Machine No	Gasoline	Kerosene	Avtol (Auto- mobil Oil)	Solidol	Nigrol
38 36 39	32 68 30	1,821 5,580 1,700	150 622 134	15 25 -	30 39
Tota	130	9,101	906	40	69
Per hact	are 18.25	1,275	127	5.6	9.7

The use of the MVM-2 for breaking up frozen ground is tremendously more efficient than blasting methods. Idle periods of the cranes are also notably decreased, as is indicated in the following table.

Crane No	Method of Breaking Frozen Ground	Idle Per 10-20 Apr (hr)	Idle P r 20-30 Apr (hr)	Decrease in Idle Per In Comparison With Crane No 29 (hr)
29 30 35	Blasting Mechanical Mechanical	40.10 34.05 21.10	28.10 9.45 5.05	- 24.70 42.05
	Total	95.25	42.60	66.75

In operating in a frozen layer more than 30-35 centimeters thick, cases of a backward movement of the MVM-2 have often been observed. The experience of the Naziya Peat Enterprise indicates that this can be stopped by setting the hook of the device at an angle of 25 degrees.

**STAT** 

STAT

- E N D -

RESTRICTED

- 2 -